



SAFETY DATA SHEET

BIOMIST[®] 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 1 of 8

SECTION 1. Identification of the Substance/Mixture and of the Company

1.1 Product Identifier

Formulation Identifier: BIOMIST[®] 30 + 30 ULV

EPA Registration Number: 8329-42

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant identified uses: Insecticide for control of adult mosquitoes, biting and non-biting midges, and blackflies

Uses advised against: See product label for use restrictions

1.3 Details of the Supplier of the Safety Data Sheet

Clarke Mosquito Control Products, Inc.
675 Sidwell Court
St. Charles, IL 60174 U.S.A.
+1 (630) 894-2000
Email: Clarke@clarke.com

1.4 Emergency Telephone Number

24-Hour Medical Emergency: POISON CONTROL Toll-free (800) 214 – 7753

24-Hour Transportation Emergency: INFOTRAC (800) 535-5053

SECTION 2. Hazards identification

United States (US)
According to OSHA 29 CFR 1910.1200 HCS (2012)

2.1 Classification of the Substance or Mixture

Aspiration Hazard: Category 1
Acute Toxicity (Oral): Category 4
Acute Toxicity (Inhalation): Category 4

Pictogram:



Signal Word: Danger

Hazard Statements: May be fatal if swallowed and enters airways.
Harmful if swallowed
Harmful if inhaled

Precautionary Statements:

PREVENTION: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing spray. Use only outdoors or in a well-ventilated area,



SAFETY DATA SHEET

BIOMIST[®] 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 2 of 8

- RESPONSE: If swallowed: Immediately call a poison control center or doctor. Do NOT induce vomiting. Rinse mouth.
- If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.
- STORAGE: Store locked up.
- DISPOSAL: Dispose of contents and container in accordance with local/regional/national regulations.

2.2 Other Hazards Not Classifiable Under OSHA 2012 HCS

See product label for any additional hazards

SECTION 3. Composition/Information on Ingredients

3.1 Components

Substance Name	CAS No.	Concentration % w/w
Permethrin	52645-53-1	30.0
Piperonyl Butoxide	51-03-6	30.0
White Mineral Oil	8042-47-5	< 40.0

Ingredients not identified are non-hazardous and/or are not required to be disclosed pursuant to 29 CFR 1910.1200 (2012), and are withheld as trade secret.

SECTION 4. First Aid Measures

4.1 Description of First Aid Measures

- If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
- If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. .

4.2 Most Important Symptoms and Effects, Both Acute and Delayed.

See section 2 and/or section 11.

4.3 Indication of Immediate Medical Attention and Special Treatment

- Treatment: Contains petroleum distillate. Gastric lavage is indicated if material was taken internally. May pose an aspiration pneumonia hazard. Appropriate supportive and symptomatic treatment is indicated by the patient's condition is recommended. For medical treatment information, contact the poison control hotline at 1-800-214-7753. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5. Fire-Fighting Measures

5.1 Extinguishing Media

- Suitable Extinguishing Media: Carbon Dioxide (CO₂), Dry Chemical, Foam
- Unsuitable Extinguishing Media: Water jet

5.2 Special Hazards Arising From the Substance or Mixture



SAFETY DATA SHEET

BIOMIST[®] 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 3 of 8

Specific Hazards: Under fire conditions some components may decompose. Combustion products may include CO and NOx.

5.3 Special Protective Equipment and Precautions for Fire-Fighters

Protection Against Fire: Wear positive pressure, self-contained breathing apparatus and protective firefighting clothing (includes fire-fighting helmet, coat, pants, boots, and gloves).

Special Procedures: Treat as oil fire. Move container from fire area if it can be done without risk. Do not scatter spilled material with high-pressure water streams. Dike for later disposal. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

SECTION 6. Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

General Precautions: Use appropriate protection (see section 8)

Environmental Precautions: Prevent product from entering into drains and waterways. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Collect and dispose of this material and its container in accordance with national and regional regulations. If the product has contaminated surface water, inform the appropriate authorities. See Section 12 for additional ecological information.

6.2 Methods and Material for Containment and Cleaning Up

Clean Up Methods: Soak up with absorbent, non-combustible material, such as sand, silica gel, clay, or sawdust, while using appropriate personal protection equipment. Collect material in appropriate container for disposal.

SECTION 7. Handling and Storage

7.1 Precautions for Safe Handling

Handling: Keep out of reach of children. Do not take internally. Avoid contact with skin and eyes. Avoid inhalation of vapors from product. Do not take internally.

Hygiene Measures: Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove soiled clothing immediately and clean thoroughly before using again.

7.2 Conditions for Safe Storage, Including Any Incompatibilities

Storage: Product should be stored in compliance with local regulations. Store in a cool, dry, well-ventilated place in the original container. Protect from excessive heat and cold. Do not store near food, drink, animal feeding stuffs, pharmaceuticals, cosmetics or fertilizers. Keep out of reach of children.

SECTION 8. Exposure Controls / Personal Protection

These precautions are suggested for conditions where the potential for exposure exists. Emergency conditions may require additional precautions.

8.1 Control Parameters

Component Name	CAS No.	List/Source	Type	Value
Permethrin	52645-53-1	ACGIH	TWA	5 mg/m ³
		NIOSH	REL	5 mg/m ³



SAFETY DATA SHEET

BIOMIST[®] 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 4 of 8

White Mineral Oil	8042-47-5	OSHA	PEL	5 mg/m ³
		ACGIH	TLV	5 mg/m ³ inhalable fraction
		NIOSH	REL	5 mg/m ³ form: mist
		OSHA	PEL	5 mg/m ³

8.2 Exposure controls

Engineering Controls: Use with adequate ventilation. Local exhaust ventilation may be necessary for some operations. Wash hands thoroughly after handling. Wash clothing before re-using.

Individual Protection Measures, such as Personal Protection Equipment:

Eye Protection: Safety Glasses, Goggles or Face Shield

Skin Protection: Wear suitable protective clothing including long-sleeve shirt, long pants, shoes and socks. Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron.

Hand Protection: Protective glove selection must be based on the user's assessment of the workplace hazards. Suitable protective chemical resistant materials include barrier laminate, nitrile, neoprene or Viton.

Respiratory Protection: Not usually required. In instances where exposure limits are exceeded, wear a NIOSH-approved pesticide respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides.

SECTION 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Appearance:	Liquid
Color:	Pale Yellow
Odor:	Light Petroleum
Odor Threshold:	Not Available
pH:	7.0
Melting Point:	Not Applicable
Freezing Point:	Not Determined
Initial Boiling Point:	Not Determined
Flash Point:	302° F
Evaporation Rate:	Not Determined
Flammability:	Not Determined
Explosion limits [U/L]:	Not Applicable
Vapor Pressure:	Not Determined
Vapor Density:	Not Determined
Relative Density:	8.33 lbs/gal
Solubility:	Not Determined
Partition Coefficient:	Not Determined
Auto-Ignition Temperature:	Not Determined
Viscosity:	15.10 cp at 40°C
Decomposition Temperature:	Not Available
Explosive Properties:	Not Available
Oxidizing Properties:	Not Available



SAFETY DATA SHEET

BIOMIST® 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 5 of 8

SECTION 10. Stability and Reactivity

10.1 Reactivity

Not Available

10.2 Chemical Stability

Stable under normal conditions

10.3 Possibility of Hazardous Reactions

Hazardous Reactions: None under normal conditions

Hazardous Polymerization: Not known to occur

10.4 Conditions to avoid

Protect from direct sunlight and excessive heat.

10.5 Incompatible materials

Avoid contact with strong oxidizing agents, strong acids, strong bases

10.6 Hazardous decomposition products

None known under normal conditions of storage and use

SECTION 11. Toxicological information

11.1 Information on Likely Routes of Exposure

Inhalation: May be harmful if inhaled

Ingestion: May be harmful if ingested.

May be fatal if swallowed and enters airways due to petroleum distillate. Vomiting may cause aspiration pneumonia.

11.2 Information on Toxicological Effects

Acute Toxicity

Oral, Rat LD₅₀ 891 mg/kg-bw

Dermal, Rat LD₅₀ > 2,000 mg/kg-bw

Inhalation, Rat LC₅₀ > 4.3 mg/L

Skin Corrosion/Irritation: Not corrosive or irritating to the skin on acute exposure. Mild skin irritation or cracking may occur from prolonged or repeated exposure to this product.

Serious Eye Damage/Irritation: Mild (transient) eye irritation may occur from direct exposure of the product in the eyes.

Skin Sensitization: Not a skin sensitizer

STOT – Single exposure

No data is available to indicate product or any components present at greater than 0.1% present a specific target organ toxicity hazard from single exposure.

Chronic Toxicity/Effects Germ Cell Mutagenicity

This product has not been tested. No data is available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. For



SAFETY DATA SHEET

BIOMIST® 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 6 of 8

	permethrin and for piperonyl butoxide, no mutagenic effect was found in various tests with microorganisms and mammalian cell culture.
Carcinogenicity	<p>This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. Permethrin and Piperonyl Butoxide are classified by IARC as Group 3: Not classifiable as to carcinogenicity to humans.</p> <p>Permethrin caused at high dose levels an increased incidence of tumors in mice in the following organ(s): liver, Lungs. The mechanism that triggers tumors in rodents is not relevant for the low exposures encountered under normal use conditions. Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.</p>
Reproductive Effects:	No data is available to indicate product or any components present at greater than 0.1% cause reproductive or teratogenic toxicity. Permethrin did not cause reproductive toxicity in a two-generation study in rats. Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.
STOT – Repeated exposure	<p>No data is available to indicate product or any components present at greater than 0.1% present a specific target organ toxicity hazard from repeat exposure. Permethrin did not cause specific target organ toxicity in experimental animal studies. Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies..</p> <p>Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.</p>

SECTION 12. Ecological Information

12.1 Ecotoxicity

Product specific data is not available. Data referenced is in relation to the active ingredients, Permethrin and Piperonyl Butoxide.

Toxicity to Fish:	Permethrin: 96-hr Acute LC ₅₀ 0.79 ppb, Bluegill Sunfish (<i>Lepomis macrochirus</i>) Piperonyl Butoxide: 96-hr Acute LC ₅₀ 6.12 ppm, Rainbow Trout (<i>Oncorhynchus mykiss</i>)
Toxicity to Aquatic Invertebrates:	Permethrin: 96-hr LC ₅₀ 0.019 ppb, Mysid Shrimp (<i>Americamysis bahia</i>) Piperonyl Butoxide: 96-hr LC ₅₀ 0.49 ppm, Mysid Shrimp (<i>Americamysis bahia</i>)
Toxicity to Aquatic Plants:	Permethrin: 72-hr EC ₅₀ 0.5 mg/L, Algae Piperonyl Butoxide: 72-hr EC ₅₀ > 9.1 mg/L, Algae

12.1 Persistence and Degradability

Product specific data not available. Data referenced is in relation to the active ingredients, Permethrin and Piperonyl Butoxide.

Biodegradability:	Not rapidly biodegradable.
Partition Coefficient, K _{oc} :	Permethrin: 100,000 Piperonyl Butoxide: 399 - 830
Bioaccumulation:	Bioconcentration (BCF) Permethrin: 300 Bioconcentration (BCF) Piperonyl Butoxide: 2,175
Mobility in Soil:	Permethrin: Immobile in soil Piperonyl Butoxide: Moderately mobile in soil Piperonyl Butoxide: Moderately mobile in soil



SAFETY DATA SHEET

BIOMIST® 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 7 of 8

SECTION 13. Disposal Considerations

13.1 Waste Treatment and Disposal methods

Pesticide wastes are regulated. Consult product label for chemical substance and container disposal instructions. Avoid release to the environment. Improper disposal of excess product or rinsate is a violation of Federal law. If these wastes cannot be disposed or by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA regional office for guidance.

Container disposal: Rinse thoroughly in accordance with label instructions.

SECTION 14. Transport Information

14.1 DOT (US)

Not regulated (Bulk and Non-Bulk Quantities)

14.2 IMDG (Vessel)

UN Number: 3082

Hazard Class: 9

Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (PERMETHRIN)

Marine Pollutant: Yes

14.3 ICAO/IATA (Air transport)

UN Number: 3082

Hazard Class: 9

Packing Group: III

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (PERMETHRIN)

Environmental Hazard: Yes

SECTION 15. Regulatory Information

FIFRA Information: This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information for safety data sheet, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word: CAUTION

KEEP OUT OF REACH OF CHILDREN

FIRST AID

Have product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.

IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
---------------	---

IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
-------------------------	---

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.
-------------	---

IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.
-------------	---

NOTE TO PHYSICIAN: Product contains a petroleum distillate. Gastric lavage is indicated if material was taken internally. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS



SAFETY DATA SHEET

BIOMIST® 30 + 30 ULV

Effective Date: 1 June 2015

v.01

Page 8 of 8

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE): Some materials that are chemical-resistant to this product are: barrier laminate, nitrile rubber, neoprene rubber, or Viton. Mixers, loaders, applicators, and other handlers must wear long-sleeve shirt and long pants, shoes plus socks. In addition, all handlers except for applicators using motorized ground equipment, pilots and flaggers, must wear chemical-resistant gloves. In addition, mixers/loaders, persons cleaning equipment, and other persons exposed to the concentrate must wear a chemical-resistant apron. See engineering controls for additional requirements.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

Engineering Controls: Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Other Federal Regulations

SARA TITLE III CLASSIFICATION

Section 302: None

Section 311/312: Immediate (acute) hazard

Section 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

Permethrin	CAS# 52645-53-1	30.0%
Piperonyl Butoxide	CAS# 51-03-6	30.0%

CERCLA RQ: None

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. California Proposition 65: Not listed

STATE RIGHT-TO-KNOW : National, state, provincial or local emergency planning, community right-to-know or other laws, regulations or ordinances may be applicable--consult applicable national, state, provincial or local laws.

SECTION 16. Other Information

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources we believe to be reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared as is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

© BIOMIST is a Registered Trademark of Clarke Mosquito Control Products, Inc.

End of document